BRAIN RESEARCH

VOL. 612 NOS. 1/2 **28 MAY 1993**

CONTENTS

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Announcement from the Publisher v

Guidelines for submission of manuscripts vii

Research Reports

Mode of action of interleukin-1 in suppression of pituitary LH release in castrated male rats
J.J. Bonavera, S.P. Kalra and P.S. Kalra (USA) 1

4-Aminopyridine causes reduction of cytochromes partly originated in glia with enhanced evoked potentials in the olfactory cortex slice
T. Saito (Japan) 9

Neurophysiological correlates of tactile stimulus-induced whole-body eversion, a novel type of behavior in the snail *Helix pomatia* L.
G. Kemenes, I.S. Zakharov, Á. Vehovszky and K. S.-Rózsa (Hungary, Russia Federation) 16

Depolarization of cultured astrocytes by leukotriene B_4. Evidence for the induction of a K^+ conductance inhibitor
H. Köller, M. Siebler, M. Pekel and H.W. Müller (Germany) 28

Thalamic multiple-unit activity underlying spike-wave discharges in anesthetized rats
M. Inoue, J. Duysens, J.M.H. Vossen and A.M.L. Coenen (Japan, The Netherlands) 35

Enhanced cytochrome-oxidase staining of the cuneate nucleus in the rat reveals a modifiable somatotopic map
D.P. Crockett, S. Maslany, S.L. Harris and M.D. Egger (USA) 41

Activation of serotonin$_{1A}$ receptors inhibits midbrain periaqueductal gray neurons of the rat
M.M. Behbehani, H. Liu, M. Jiang, R.Y.K. Pun and M.T. Shipley (USA) 56

Microdialysis of interstitial amino acids during spreading depression and anoxic depolarization in rat neocortex
M. Fabricius, L.H. Jensen and M. Lauritzen (Denmark) 61

Changes in nociception, arterial blood pressure and heart rate produced by intravenous morphine in the conscious rat
C.L. Thurston, A. Starnes and A. Randich (USA) 70

Lateral tegmental field involvement in the central sympathoinhibitory action of 8-OHDPAT
M.E. Clement and R.B. McCall (USA) 78

Ventral mesencephalic and cortical transplants into the rat striatum display enhanced activity for neutral endopeptidase 24.11 ('enkephalinase'; CALLA)
S.A. Back, M. Colon, J.H. Fallon, F.L. Meyskens Jr. and S.E. Loughlin (USA) 85

4-Aminopyridine reduces chorda tympani nerve taste responses to potassium and alkali salts in rat
M. Kim and C.M. Mistretta (USA) 96

C-type natriuretic peptide (CNP) is the major natriuretic peptide in human cerebrospinal fluid
T. Kaneko, G. Shirakami, K. Nakao, I. Nagata, O. Nakagawa, N. Hama, S.-i. Suga, S. Miyamoto, H. Kubo, O. Hirai, H. Kikuchi and H. Imura (Japan) 104

Subdivision of primary afferents from passive cat muscle spindles based on a single slow-adaptation parameter
F. Awiszus and S.S. Schäfer (FRG) 110

Day–night variations of adenosine and its metabolizing enzymes in the brain cortex of the rat – possible physiological significance for the energetic homeostasis and the sleep–wake cycle
V. Chagoya de Sánchez, R. Hernández Muñoz, J. Suárez, S. Vidrio, L. Yáñez and M.D. Muñoz (Mexico) 115

Acetazolamide specifically inhibits lingual trigeminal nerve responses to carbon dioxide
M. Komai and B.P. Bryant (USA) 122

3α-OH-DHP and 5α-THDOC implants to the ventral tegmental area facilitate sexual receptivity in hamsters after progesterone priming to the ventral medial hypothalamus
C.A. Frye and J.F. DeBold (USA) 130

Short Communications

Photic induction and circadian expression of Fos-like protein. Immunohistochemical study in the retina and suprachiasmatic nuclei of hamster
I. Chambille, S. Doyle and J. Servière (France) 138

Opioid actions on neurons of rat lateral amygdala in vitro
S. Sugita and R.A. North (USA) 151

Monoamine depletion alters the entrainment and the response to light of the circadian activity rhythm in hamsters
P.D. Penev, F.W. Turek and P.C. Zee (USA) 156

(contents continued on p. 360)

0006-8993(19930528)612:1/2;1-W

BRAIN RESEARCH

VOL. 612 NOS. 1/2 **28 MAY 1993**

CONTENTS

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Announcement from the Publisher v

Guidelines for submission of manuscripts vii

Research Reports

Mode of action of interleukin-1 in suppression of pituitary LH release in castrated male rats
J.J. Bonavera, S.P. Kalra and P.S. Kalra (USA) 1

4-Aminopyridine causes reduction of cytochromes partly originated in glia with enhanced evoked potentials in the olfactory cortex slice
T. Saito (Japan) 9

Neurophysiological correlates of tactile stimulus-induced whole-body eversion, a novel type of behavior in the snail *Helix pomatia* L.
G. Kemenes, I.S. Zakharov, Á. Vehovszky and K. S.-Rózsa (Hungary, Russia Federation) 16

Depolarization of cultured astrocytes by leukotriene B_4. Evidence for the induction of a K^+ conductance inhibitor
H. Köller, M. Siebler, M. Pekel and H.W. Müller (Germany) 28

Thalamic multiple-unit activity underlying spike-wave discharges in anesthetized rats
M. Inoue, J. Duysens, J.M.H. Vossen and A.M.L. Coenen (Japan, The Netherlands) 35

Enhanced cytochrome-oxidase staining of the cuneate nucleus in the rat reveals a modifiable somatotopic map
D.P. Crockett, S. Maslany, S.L. Harris and M.D. Egger (USA) 41

Activation of serotonin$_{1A}$ receptors inhibits midbrain periaqueductal gray neurons of the rat
M.M. Behbehani, H. Liu, M. Jiang, R.Y.K. Pun and M.T. Shipley (USA) 56

Microdialysis of interstitial amino acids during spreading depression and anoxic depolarization in rat neocortex
M. Fabricius, L.H. Jensen and M. Lauritzen (Denmark) 61

Changes in nociception, arterial blood pressure and heart rate produced by intravenous morphine in the conscious rat
C.L. Thurston, A. Starnes and A. Randich (USA) 70

Lateral tegmental field involvement in the central sympathoinhibitory action of 8-OHDPAT
M.E. Clement and R.B. McCall (USA) 78

Ventral mesencephalic and cortical transplants into the rat striatum display enhanced activity for neutral endopeptidase 24.11 ('enkephalinase'; CALLA)
S.A. Back, M. Colon, J.H. Fallon, F.L. Meyskens Jr. and S.E. Loughlin (USA) 85

4-Aminopyridine reduces chorda tympani nerve taste responses to potassium and alkali salts in rat
M. Kim and C.M. Mistretta (USA) 96

C-type natriuretic peptide (CNP) is the major natriuretic peptide in human cerebrospinal fluid
T. Kaneko, G. Shirakami, K. Nakao, I. Nagata, O. Nakagawa, N. Hama, S.-i. Suga, S. Miyamoto, H. Kubo, O. Hirai, H. Kikuchi and H. Imura (Japan) 104

Subdivision of primary afferents from passive cat muscle spindles based on a single slow-adaptation parameter
F. Awiszus and S.S. Schäfer (FRG) 110

Day–night variations of adenosine and its metabolizing enzymes in the brain cortex of the rat – possible physiological significance for the energetic homeostasis and the sleep–wake cycle
V. Chagoya de Sánchez, R. Hernández Muñoz, J. Suárez, S. Vidrio, L. Yáñez and M.D. Muñoz (Mexico) 115

Acetazolamide specifically inhibits lingual trigeminal nerve responses to carbon dioxide
M. Komai and B.P. Bryant (USA) 122

3α-OH-DHP and 5α-THDOC implants to the ventral tegmental area facilitate sexual receptivity in hamsters after progesterone priming to the ventral medial hypothalamus
C.A. Frye and J.F. DeBold (USA) 130

Short Communications

Photic induction and circadian expression of Fos-like protein. Immunohistochemical study in the retina and suprachiasmatic nuclei of hamster
I. Chambille, S. Doyle and J. Servière (France) 138

Opioid actions on neurons of rat lateral amygdala in vitro
S. Sugita and R.A. North (USA) 151

Monoamine depletion alters the entrainment and the response to light of the circadian activity rhythm in hamsters
P.D. Penev, F.W. Turek and P.C. Zee (USA) 156

(contents continued on p. 360)

0006-8993(19930528)612:1/2;1-W

Interleukin-6 and tumor necyosis factor in cerebrospinal fluid: changes during pyrogen fever
F. Coceani, J. Lees, J. Mancilla, J. Belizario and C.A. Dinarello (Canada, USA) 165
Long-term control by corticosteroids of the inward rectifier in rat CA1 pyramidal neurons, in vitro
H. Karst, W.J. Wadman and M. Joëls (The Netherlands) 172
Fluoxetine induces vasopressin and oxytocin abnormalities in food-restricted rats given voluntary exercise: relationship to anorexia nervosa
P.F. Aravich, T.S. Rieg, I. Ahmed and T.J. Lauterio (USA) 180
Studies on the mechanism of action of the novel anticonvulsant lamotrigine (Lamictal) using primary neuroglial cultures from rat cortex
G. Lees and M.J. Leach (UK) 190
The role of G protein in muscarinic depolarization near resting potential in cultured hippocampal neurons
L.D. Brown, K.-M. Kim, Y. Nakajima and S. Nakajima (USA) 200
Different stability of neurofilaments for trypsin treatment after axotomy in the dorsal motor nucleus of the vagal nerve and the hypoglossal nucleus
E. Yamada and F. Hazama (Japan) 210
A comparison of induced heat-shock protein in neurons destined to survive and those destined to die after transient ischemia in rats
C. Tomioka, K. Nishioka and K. Kogure (Japan) 216
Intracellular distribution of monoamine oxidase A in selected regions of rat and monkey brain and spinal cord
K.N. Westlund, T.J. Krakower, S.-W. Kwan and C.W. Abell (USA) 221
Glutamate immunoreactivity in terminals of the retinohypothalamic tract of the brown Norwegian rat
M.J. De Vries, B. Nunes Cardozo, J. Van der Want, A. De Wolf and J.H. Meijer (The Netherlands) 231
Norepinephrine release from guinea pig cardiac sympathetic nerves is insensitive to ryanodine under physiological conditions
C.A. Gurnett, C.A. Whiteis, B.J. Pardini and P.G. Schmid Jr. (USA) 238
The effects of forebrain multiple lesions on the pressor response induced by bilateral carotid occlusion in conscious rats
M.T.B. Bedran de Castro, J.C. Bedran de Castro and J. Vanderlei Menani (Brazil) 243
Benzodiazepine receptor binding following chronic treatment with naloxone, morphine and met-enkephalin in normal rats
L. Rocha, K. Tatsukawa, H.T. Chugani and J. Engel Jr. (USA, Mexico) 247
Lesions of the amygdala block conditional hypoalgesia on the tail flick test
F.J. Helmstetter and P.S. Bellgowan (USA) 253
N-terminal galanin fragments inhibit the hippocampal release of acetylcholine in vivo
P. Girotti, R. Bertorelli, G. Fisone, T. Land, Ü. Langel, S. Consolo and T. Bartfai (Italy, Sweden) 258
The role of nucleus accumbens dopamine in the neurochemical and behavioral effects of phencyclidine: a microdialysis and behavioral study
R.E. Steinpreis and J.D. Salamone (USA) 263
Long-term caffeine treatment leads to a decreased susceptibility to NMDA-induced clonic seizures in mice without changes in adenosine A_1 receptor number
V. Georgiev, B. Johansson and B.B. Fredholm (Sweden, Bulgaria) 271
Role of NMDA receptors and voltage-activated calcium channels in an in vitro model of cerebral ischemia
T. Kral, H.J. Luhmann, T. Mittmann and U. Heinemann (FRG) 278
5-HT_3 receptors in the rat central nervous system are mainly located on nerve fibres and terminals
E.J. Kidd, A.M. Laporte, X. Langlois, C.-M. Fattaccini, C. Doyen, M.C. Lombard, H. Gozlan and M. Hamon (France) 289
Origin of tonic electrical activity patterns in the diaphragm of the fetal lamb
P.J. Berger, I.R.C. Cooke, M. Soust and M.H. Wilkinson (Australia) 299
Effect of neurotensin and immunneutralization with anti-neurotensin-serum on dopaminergic–cholinergic interaction in the striatum
A. Töröcsik, A. Rakovska, T. Görcs and E.S. Vizi (Hungary) 306
The benzodiazepine receptor partial agonist bretazenil and the partial inverse agonist Ro 15-4513: effects on salt preference and aversion in the rat
S.J. Cooper and D.J. Barber (UK) 313
Increase of plasma adrenocorticotrophin and cortisol in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-treated dogs
M. Mizobuchi, T. Hineno, Y. Kakimoto and K. Hiratani (Japan) 319
CGRP immunoreactive neurons in rat dorsal root ganglia do not all contain low-affinity NGF receptor immunoreactivity
X.-F. Zhou, W.-P. Gai and R.A. Rush (Australia) 322
Binding of 5-HT_{1A} receptor and 5-HT transporter ligands in rat cortex and hippocampus following cholinergic and serotonergic lesions
J.A. Lawrence, H.J. Olverman, K. Shirakawa, J.S. Kelly and S.P. Butcher (UK) 326
High-affinity nerve growth factor receptor (Trk) immunoreactivity is localized in cholinergic neurons of the basal forebrain and striatum in the adult rat brain
T.L. Steininger, B.H. Wainer, R. Klein, M. Barbacid and H.C. Palfrey (USA) 330
ATP-sensitive potassium channels are not expressed in brain microvessels
H.C. Sullivan and S.I. Harik (USA) 336
Direct synaptic connections between thalamocortical axon terminals from the mediodorsal thalamic nucleus (MD) and corticothalamic neurons to MD in the prefrontal cortex
M. Kuroda, K. Murakami, S. Oda, M. Shinkai and K. Kishi (Japan) 339
Thalamic neuronal hyperactivity following transection of the spinothalamic tract in the cat: involvement of *N*-methyl-D-aspartate receptor
S. Koyama, Y. Katayama, S. Maejima, T. Hirayama, M. Fujii and T. Tsubokawa (Japan) 345
Spectral analyses of PGO-on neurons during paradoxical sleep in freely moving cats
H. Sei, K. Sakai, M. Yamamoto and M. Jouvet (France, Japan) 351
The effect of adrenalectomy on the circadian variation in the rate of kindled seizure development
G. Weiss, K. Lucero, M. Fernandez, D. Karnaze and N. Castillo (USA) 354

Author Index 357